


NOTE
 RE: STEEL STAIRWAY:
 AS-BUILT STEEL STAIRWAY SEE H/E

THE STORMWATER INSIDE THE EXISTING SAND TRAP WILL THEN DISCHARGE TO THE EXISTING CATCHPIT AND SAND TRAP VIA SURFACE CHANNEL WHICH LOCATED AND MAINTAINED BY THE ADJOINING SCHOOL. THIS CONTRACTOR IS RESPONSIBLE FOR MAKING GOOD OF ALL RETAINED DRAINAGE COMPONENTS WITH SUFFICIENT FLOW CAPACITY FOR THE STORMWATER DISCHARGED OUT OF THE SITE.

Notes:
 FOR ALL PLANTER KERB TO BE 100 H. FROM FINISH LEVEL EXCEPT OTHERWISE STATED
 FOR ALL KERBS OF FOOTPATHS ADJACENT TO PLANTERS (EXCEPT TREE PITS), THE PLANTER SOIL LEVEL ARE KEPT AT A MINIMUM OF 50mm LOWER THAN THE KERB LEVEL.



No.	Date	Description	Initial
01/12		ISSUE FOR TENDER	WT
Revision			
Consultant Project No. 080101			

ARTHUR C. S. KWOK
 ARCHITECTS & ASSOCIATES LIMITED
 郭克典建築師有限公司
 1401 ARGYLE CENTRE ONE KOWLOON

TEAM 73 HK Limited
 urban design urban planning landscape architecture
 7/F China Hong Kong Tower & Manning Road, Hong Kong
 Tel: 2862-0713 Fax: 2862-0888 Email: design@team73.com

CANTWEST CONSULTANTS LIMITED
 CIVIL & STRUCTURAL ENGINEERS
 建築工程師有限公司
 18/F, 433 KING'S ROAD, NORTH POINT, HONG KONG
 Tel: (852) 2862 1128 Fax: (852) 2861 6288
 E-mail: cantwest@cantwest.com.hk

THOMAS ANDERSON & PARTNERS (H.K.) LIMITED
 CONSULTING ENGINEERS, BUILDING SERVICES
 湯瑪士(香港)有限公司

Designed			
Drawn			
Checked			
Approved			

Contract No.	
File No.	
Project No.	420 RO
Consultant Agreement No.	9AS022
Contract	LOCAL OPEN SPACE AT CHUNG YEE STREET, KOWLOON CITY DISTRICT

Drawing Title
 DRAINAGE LAYOUT FOR EXISTING CATCHPIT AT THE SLOPE OF ADJOINING SCHOOL

Drawing No.	BS/2263/SD202	Scale	A1 = 1 : 250 A3 = 1 : 500
-------------	---------------	-------	------------------------------

Approved	Signed (Chief)	04 JUL 2008 (Date)
----------	----------------	--------------------

ARCHITECTURAL SERVICES DEPARTMENT